

Regulation (EU) 2015/830

Version: 6.0 Revision date:13/10/2015

HIGHTECH NANO PROTECTOR SPRAY 400ML



SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Product form : Mixture Product name : HIGHTECH NANO PROTECTOR SPRAY 400ML Product code : TGS22000-712 Vaporizer : Aerosol 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** Intended for general public Main use category : Consumer use Industrial/Professional use spec : Industrial For professional use only : Shoe and leather care product. Use of the substance/mixture 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet TARRAGO BRANDS INTERNATIONAL, S.L. Narcís Monturiol, 18 Pol. Ind. Bufalvent 08243 Manresa - SPAIN T +34 938 770 814 - F +34 938 737 104 reach@tarrago.com 1.4. **Emergency telephone number** Emergency number : +34 93 877 08 14 Office hours: Monday-Friday 8AM-3PM GMT+1 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol, Category 1 H222;H229

Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity - Single exposure, Category H336 3, Narcosis Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display Hazard pictograms (CLP)

	GHS02 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: Isopropyl acetate
Hazard statements (CLP)	 H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand

TARRAGO BRANDS INTERNATIONAL, S.L.

R	Osfata Data Okaat	Version: 6.0
	Safety Data Sheet ording to Regulation (EC) No. 1907/2006 (REACH) with its amendment	Revision date:13/10/2015
	Regulation (EU) 2015/830	Supersedes:24/07/2014
HIGHTECH NANO P	PROTECTOR SPRAY 400ML	TGS22000-712
Precautionary statements (CLP) [Label] Note: By CLP Regulations, only the 6 mos important precautionary statements (P- phrases) shall appear on the label.	 P102 - Keep out of reach of children P103 - Read label before use P210 - Keep away from heat, hot surfaces, sparks, open smoking P211 - Do not spray on an open flame or other ignition s P251 - Do not pierce or burn, even after use P264 - Wash thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye pr P304+P340 - IF INHALED: Remove person to fresh air a P305+P351+P338 - IF IN EYES: Rinse cautiously with w contact lenses, if present and easy to do. Continue rinsir P312 - Call a POISON CENTER/doctor/ if you feel unv P337+P313 - If eye irritation persists: Get medical advice P403+P233 - Store in a well-ventilated place. Keep cont P405 - Store locked up P410+P412 - Protect from sunlight. Do not expose to ter P501 - Dispose of contents/container toan authorised was P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open smoking P211 - Do not spray on an open flame or other ignition s P251 - Do not pierce or burn, even after use P410+P412 - Protect from sunlight. Do not expose to ter P501 - Dispose of contents/container toan authorised was 	otection/face protection and keep comfortable for breathing vater for several minutes. Remove ng well e/attention ainer tightly closed mperatures exceeding 50 °C/122 °F aste collection point in flames and other ignition sources. No source mperatures exceeding 50 °C/122 °F
Child-resistant fastening	: No	
Tactile warning	: No	
2.3. Other hazards		
Adverse physicochemical, human health and	: Pressurised container: May burst if heated. Extremely fla	ammable aerosol. Causes serious eye

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isopropyl acetate	(CAS No) 108-21-4 (EC no) 203-561-1 (EC index no) 607-024-00-6	50 - 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Ethyl acetate substance with national workplace exposure limit(s) (GB)	(CAS No) 141-78-6 (EC no) 205-500-4 (EC index no) 607-022-00-5	< 0,1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

TARRAGO BRANDS INTERNATIONAL, S.L.

gency procedures	: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. sparks, and no smoking. Avoid contact with skin and eyes. Evacuate unner
For emergency responders	
ctive equipment	: Do not attempt to take action without suitable protective equipment. For furth refer to section 8: "Exposure controls/personal protection". Equip cleanup c protection.
gency procedures	: Ventilate area.
Environmental precautions	
release to the environment. Prevent entry to	o sewers and public waters. Notify authorities if liquid enters sewers or public v
Methods and material for containmer	nt and cleaning up
ods for cleaning up	: Recover mechanically the product. Soak up spills with inert solids, such as diatomaceous earth as soon as possible. Collect spillage. Store away from
information	: Dispose of materials or solid residues at an authorized site.
Reference to other sections	
rther information refer to section 13. See Ηε	eading 8. Exposure controls and personal protection.

HIGHTECH NANO PROTECTOR SPRAY 400ML

·

: Eye irritation.

Most important symptoms and effects, both acute and delayed

Revision date:13/10/2015

Version: 6.0

Supersedes:24/07/2014

Indication of any immediate medical attention and special treatment needed 4.3. Treat symptomatically. **SECTION 5: Firefighting measures** Extinguishing media 5.1. Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Special hazards arising from the substance or mixture Fire hazard : Extremely flammable aerosol. : Pressurised container: May burst if heated Explosion hazard : Toxic fumes may be released. Hazardous decomposition products in case of fire 5.3. Advice for firefighters **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emerg No open flames, no ecessary personnel. 6.1.2. Protec rther information crew with proper Emerge 6.2. waters Avoid r 6.3. Method s clay or n other materials Other i 6.4. For fur



First-aid measures after eye contact

First-aid measures after ingestion

Symptoms/injuries after eye contact

4.2.

Symptoms/injuries

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

Obtain emergency medical attention.

anticipated conditions of normal use.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately

Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

: May cause drowsiness or dizziness. Not expected to present a significant hazard under

with plenty of water. Obtain medical attention if pain, blinking or redness persist.

TGS22000-712



Version: 6.0

Revision date:13/10/2015

Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

Isopropyl acetate (108-	.21-4)		
United Kingdom	Local name	Isopropyl acetate	
United Kingdom	WEL STEL (mg/m ³)	849 mg/m ³	
United Kingdom	WEL STEL (ppm)	200 ppm	
Ethyl acetate (141-78-6)		
United Kingdom	Local name	Ethyl acetate	
United Kingdom	WEL TWA (ppm)	200 ppm	
United Kingdom	WEL STEL (ppm)	400 ppm	

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves. Wear protective gloves
Eye protection	: Safety glasses. Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	nd chemical properties
Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable

TARRAGO BRANDS INTERNATIONAL, S.L.



Regulation (EU) 2015/830

Version: 6.0

Revision date:13/10/2015

Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol, Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. **Chemical stability**

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

TION 44

10.6. Hazardous decomposition products

The set of the set of the former of the

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

Information on toxicological effects Acute toxicity : Not classified Skin corrosion/irritation : Not classified
Skin conosion/initiation . Not classified
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.
Specific target organ toxicity (repeated : Not classified exposure)
Aspiration hazard : Not classified
HIGHTECH NANO PROTECTOR SPRAY 400ML
Vaporizer Aerosol



Version: 6.0 Revision date:13/10/2015

Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

HIGHTECH NANO PROTECTOR SPRAY	400.00
	Not established.
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
HIGHTECH NANO PROTECTOR SPRAY	400ML
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assess	sment
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment
SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	on
In accordance with ADD / DID / IMDC / IATA	
In accordance with ADR / RID / IMDG / IATA	/ ADN
14.1. UN number	
14.1. UN number UN-No. (ADR)	: 1950
14.1. UN number UN-No. (ADR) UN-No. (IMDG)	: 1950 : 1950
14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: 1950 : 1950 : 1950
14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN)	: 1950 : 1950 : 1950 : 1950
14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: 1950 : 1950 : 1950
14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN)	: 1950 : 1950 : 1950 : 1950
14.1.UN numberUN-No. (ADR)UN-No. (IMDG)UN-No. (IATA)UN-No. (ADN)UN-No. (RID)14.2.UN proper shipping nameProper Shipping Name (ADR)	: 1950 : 1950 : 1950 : 1950 : 1950 : AEROSOLS
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) 	: 1950 : 1950 : 1950 : 1950 : 1950 : AEROSOLS : AEROSOLS
14.1.UN numberUN-No. (ADR)UN-No. (IMDG)UN-No. (IATA)UN-No. (ADN)UN-No. (RID)14.2.UN proper shipping nameProper Shipping Name (ADR)	: 1950 : 1950 : 1950 : 1950 : 1950 : AEROSOLS
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) 	: 1950 : 1950 : 1950 : 1950 : 1950 : AEROSOLS : AEROSOLS
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) 	 1950 1950 1950 1950 1950 1950 AEROSOLS AEROSOLS Aerosols, flammable
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) 	: 1950 : 1950 : 1950 : 1950 : 1950 : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) 	: 1950 : 1950 : 1950 : 1950 : 1950 : 1950 : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS : AEROSOLS
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) 	 1950 1950 1950 1950 1950 1950 4000 4000
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) 	 1950 1950 1950 1950 1950 1950 4000 4000
 14.1. UN number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (ADN) UN-No. (RID) 14.2. UN proper shipping name Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) 14.3. Transport hazard class(es) 	 1950 1950 1950 1950 1950 1950 4000 4000



Version: 6.0 Revision date:13/10/2015

Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 2.1 : 2.1 :
ΙΑΤΑ	2
Transport hazard class(es) (IATA) Hazard labels (IATA)	: 2.1 : 2.1 :
ADN Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1 :
RID Transport hazard class(es) (RID)	: 2.1
Danger labels (RID)	: 2.1
14.4. Packing group	•
Packing group (ADR)	: Not applicable
Packing group (IMDG) Packing group (IATA)	: Not applicable : Not applicable
Packing group (ADN) Packing group (RID)	: Not applicable : Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No

TARRAGO BRANDS INTERNATIONAL, S.L.



Version: 6.0

Revision date:13/10/2015

Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

Other information

: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1



Regulation (EU) 2015/830

Version: 6.0

Revision date:13/10/2015

Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

- Rail transport

Special provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1LExcepted quantities (RID): E0Packing instructions (RID): P207, LP02Special packing provisions (RID): PP87, RR6, L2Mixed packing provisions (RID): MP9Transport category (RID): 2Special provisions for carriage – Packages: W14(RID): CW9, CW12Special provisions for carriage - Loading, unloading and handling (RID): CE2Hazard identification number (RID): 23	Classification code (RID)	: 5F
Excepted quantities (RID): E0Packing instructions (RID): P207, LP02Special packing provisions (RID): PP87, RR6, L2Mixed packing provisions (RID): MP9Transport category (RID): 2Special provisions for carriage – Packages: W14(RID): Special provisions for carriage - Loading, unloading and handling (RID): CW9, CW12Colis express (express parcels) (RID): CE2	Special provisions (RID)	: 190, 327, 344, 625
Packing instructions (RID):P207, LP02Special packing provisions (RID):PP87, RR6, L2Mixed packing provisions (RID):MP9Transport category (RID):2Special provisions for carriage – Packages:W14(RID):CW9, CW12Special provisions for carriage - Loading, unloading and handling (RID):CW9, CW12Colis express (express parcels) (RID):CE2	Limited quantities (RID)	: 1L
Special packing provisions (RID):PP87, RR6, L2Mixed packing provisions (RID):MP9Transport category (RID):2Special provisions for carriage – Packages (RID):W14Special provisions for carriage - Loading, unloading and handling (RID):CW9, CW12Colis express (express parcels) (RID):CE2	Excepted quantities (RID)	: E0
Mixed packing provisions (RID): MP9Transport category (RID): 2Special provisions for carriage – Packages (RID): W14Special provisions for carriage - Loading, unloading and handling (RID): CW9, CW12Colis express (express parcels) (RID): CE2	Packing instructions (RID)	: P207, LP02
Transport category (RID):2Special provisions for carriage – Packages:W14(RID):CW9, CW12Special provisions for carriage - Loading, unloading and handling (RID):CW9, CW12Colis express (express parcels) (RID):CE2	Special packing provisions (RID)	: PP87, RR6, L2
Special provisions for carriage – Packages : W14 (RID) : CW9, CW12 unloading and handling (RID) : CE2	Mixed packing provisions (RID)	: MP9
(RID) Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12 Colis express (express parcels) (RID) : CE2	Transport category (RID)	: 2
unloading and handling (RID) Colis express (express parcels) (RID) : CE2		: W14
		: CW9, CW12
Hazard identification number (RID) : 23	Colis express (express parcels) (RID)	: CE2
	Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

	The following restrictions are applicable according to Annex XVII of the RE	ACH Regulation (EC) No 1907/2006:
	3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Isopropyl acetate Ethyl acetate - Limonene (D-)
	3.a. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Isopropyl acetate - Ethyl acetate - Limonene (D-)
	3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Isopropyl acetate - Ethyl acetate - Limonene (D-)
	3.c. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	- Limonene (D-)
	28. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as Carcinogen category 1A or 1B (Table 3.1) or Carcinogen category 1 or 2 (Table 3.2) and listed as follows: Carcinogen category 1A (Table 3.1)/Carcinogen category 1 (Table 3.2) listed in Appendix 1 Carcinogen category 1B (Table 3.1)/Carcinogen category 2 (Table 3.2) listed in Appendix 2	Hydrocarbons, C3-4-rich, petroleum distillate
	29. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as Germ cell Mutagen category 1A or 1B (Table 3.1) or Mutagen category 1 or 2 (Table 3.2) and listed as follows: Mutagen category 1A (Table 3.1)/Mutagen category 1 (Table 3.2) listed in Appendix 3 Mutagen category 1B (Table 3.1)/Mutagen category 2 (Table 3.2) listed in Appendix 4	Hydrocarbons, C3-4-rich, petroleum distillate
	40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Hydrocarbons, C3-4-rich, petroleum distillate - Isopropyl acetate - Ethyl acetate - Limonene (D-) -
	Contains no substance on the REACH candidate list	

Contains no REACH Annex XIV substances

TARRAGO BRANDS INTERNATIONAL, S.L.



Regulation (EU) 2015/830

Version: 6.0

Revision date:13/10/2015 Supersedes:24/07/2014

HIGHTECH NANO PROTECTOR SPRAY 400ML

TGS22000-712

15.1.2. National regulations

No additional information available

Chemical safety assessment 15.2.

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information	: None.
Full text of H- and EUH-statements:	
Aerosol 1	Aerosol, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated

Causes serious eye irritation

May cause drowsiness or dizziness

TARRAGO SDS EU (REACH Annex II)

H319

H336

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product